LED module ZH560X24-2835X96

Brightness:	5120 lm
Power:	32 W
Distance between LED:	5.83 mm
Lenght :	560 mm

Basic info

- GOMAR PLUS production

- PCB - FR4

- highest quality LEDs (OSRAM, CREE, SAMSUNG etc.)

- constant current power supply

- perfect light source for LED linear luminaires

- dimensions according to global standards

- high luminous flux, efficacy, lifetime, good colour repeatability

- our own SMD production line - we can customize all parameters according to customer demands

GOMAR PLUS ul. Południowa 8, 98-100 Łask

info@gomarplus.pl www.gomarplus.pl TEL. 43 676 3999 KOM. 605 150 570

NIP: 831-151-96-42 REGON: 100565940 PKO BP: 45 1020 3437 0000 1502 0128 6673

Image not found or type unknown



GOMAR PLUS ul. Południowa 8, 98-100 Łask

info@gomarplus.pl www.gomarplus.pl TEL. 43 676 3999 KOM. 605 150 570

NIP: 831-151-96-42 REGON: 100565940 PKO BP: 45 1020 3437 0000 1502 0128 6673

Technical parameters

Variant	Cool white W 5000K	Neutral white NW 4000K	Warm white WW 3000K
Brightness	5120 lm	5120 lm	4920 lm
Power	32 W		
Current	350 mA		
Voltage	87,6 - 92 V DC		
Distance between LED	5.83 mm		
Lenght	560 mm		
Width	24 mm		
Height	2 mm		
Beam angle	120 °		
Color rendering index (Ra)	80 Ra		
IP degree	20 IP		
Type of electrical supply	Constant Current		

Technical drawing

GOMAR PLUS ul. Południowa 8, 98-100 Łask

info@gomarplus.pl www.gomarplus.pl TEL. 43 676 3999 KOM. 605 150 570
NIP: 831-151-96-42 REGON: 100565940 PKO BP: 45 1020 3437 0000 1502 0128 6673